

CERTIFICATE

No. B 068047 0009 Rev. 00

Holder of Certificate:

Haws AG

Bachweg 3 3401 Burgdorf **SWITZERLAND**

Certification Mark:



Product:

Emergency Showers Combination Emergency Showers

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.:

713140539

Valid until:

2023-08-27

Date,

2018-09-03

(Horst Kristen)

Hust =



CERTIFICATE

No. B 068047 0009 Rev. 00

Model(s):

Serie AXION Models see below

Series 8300

Model	Description	Hight	Overhang	Weight
8300 AXION	Eye-/Face and Body shower, Floor model with stainless steelbowl	ca, 2114 mm	ca. 745 mm	ca. 20,1 kg
8300 CRP AXION	Eye-/Face- and Body showe, Floor model with stainless steelbowl, CRP-Corrosion protection	ca. 2114 mm	ca. 745 mm	ca. 20,4 kg
8300.157 AXION	Eye-/Face- and Body shower, Floor model with stainless steelbowl with scalding protection	ca. 2112 mm	ca. 745 mm	ca. 20,8 kg
8300.157 CRP AXION	Eye-/Face- and Body shower, Floor model with stainless steelbowl with scalding protection and CRP-Corrosion protection	ca. 2112 mm	ca. 745 mm	ca. 21,2 kg
8309 WC AXION	Eye-/Face- and Body shower, Floor model with stainless steelbowl, suitable for handicapped people	ca. 2100 mm	ca. 929 mm	ca. 27,6 kg
8317 AXION	Eye-/Face- and Body shower, Floor model w/o bowl	ca. 2161 mm	ca. 745 mm	ca. 17,6 kg
8320 AXION	Eye-/Face- and Body shower, Floor model with plastic bowl (ABS)	ca. 2115 mm	ca. 745 mm	ca. 20,4 kg
8320 CRP AXION	Eye-/Face- and Body shower, Floor model with plastic bowl (ABS), CRP-Corrosion protection	ca. 2115 mm	ca. 745 mm	ca. 20,4 kg
8327 AXION	Eye-/Face- and Body shower, Floor model with simultaneous foot control	ca. 2213 mm	ca. 745 mm	ca. 29,6 kg
8327 CRP AXION	Eye-/Face- and Body shower, Floor model with simultaneous foot control, CRP-Corrosion protection	ca. 2213 mm	ca. 745 mm	ca. 30 kg
8327 WC AXION	Eye-/Face- and Body shower, Floor model with simultaneous foot control, suitable for handicapped people	ca. 2105 mm	ca. 800 mm	ca. 48 kg
8330 AXION	Eye-/Face- and Body shower, Floor model with stainless steelbowl and shower head of stainless steel	ca. 2106 mm	ca. 752 mm	ca. 23,2 kg
8335 AXION	Eye-/Face- and Body shower, Floor model with stainless steelbowl and tubing of steel 304	ca. 2178 mm	ca. 752 mm	ca. 22 kg
8300FP CPR AXION	Eye-/Face- and Body shower, Floor model with stainless steelbowl and Freezeproof, CRP-Corrosion protection	ca. 2.250 mm	ca. 732 mm	ca. 34 kg
8300FP AXION	Eye-/Face- and Body shower, Floor model with stainless steelbowl and Freezeproof	ca. 2.250 mm	ca. 732 mm	ca. 34 kg



CERTIFICATE

No. B 068047 0009 Rev. 00

Series 8400

Model	Description	Hight	Overhang	Weight
8400 AXION	Separate Eye-/ Face- and Body shower with grating release	ca. 2120 mm	ca. 535 mm	ca. 115 kg

Tested according to:

DIN EN 15154-1:2006 DIN EN 15154-2:2006

Production Facility(ies):

068047